

MIKASA INDUSTRY CO., LTD.

PLASTIC CAPS & BOTTLES
TOTAL PACKAGING SOLUTIONS

Specialized Manufacturer of Caps and Bottles



CAP

Specialized in manufacturing and selling condiment, oil, and alcohol caps



PET BOTTLE

Produce and sell small to medium size bottles



SPOUT & POUCH

Produce and sale spout, also attaching spout to pouch




TRUSTWORTHY

Our products are widely used in Japan. With more than 20,000 companies are our customers.

Factory & Sales Office

Thailand



Factory

Certificate
ISO9001, HALAL, TIS655

Japan




4 factories &
3 sales offices

Head Office

Safe



**No Leak, No Spill
even when Transfer or Export**



NO LEAKAGE GUARANTEE

Good sealing function, contents could not leak, even when pressure and temperature keep changing, the cap will not pop out.

Consumer-friendly



**Cut the Liquid Flow Immediately
when Stop Pouring and Draw the
Content Back Inside**

The ability to cut off the flow of liquid immediately when stop pouring, so that the liquid does not spill out or stick to your hand.



Open Widely, Close Tightly

Fully wide open hinge and does not fold while using. Close tightly, seal shrink is not required.



Recycle Function

Our caps can be separated easily from bottle for recycle purpose.

CAP

Cap for fish sauce, soy sauce, cooking oil

Product lineup Function	Re-H Cap (S)	Re-H Cap (OI)	Re-H Nozzle Cap
	Cap type	Hinge cap	Hinge cap
Hole shape			
Color available			
Compatible bottle	Glass bottle / Plastic bottle	Glass bottle / Plastic bottle	Plastic bottle
Bottle finish (mm)			
Tamper-evident	Pull-Open Ring	Pull-Open Ring	-
Filling temperature* ¹	No Shower 75°C	No Shower 65°C	No Shower 65°C
Number of caps / carton	2,000	2,000	2,000
Number of caps / pallet * ²	72,000	72,000	72,000




Product lineup Function	FHU Cap	FHC Cap
	Cap type	Hinge cap
Hole shape		
Color available		
Compatible bottle	Plastic bottle	Plastic bottle
Bottle finish (mm)		
Tamper-evident	Pull-Open Ring	Pull-Open Ring
Filling temperature* ¹	No Shower 75°C	85°C / Shower 90°C
Number of caps / carton	2,000	2,000
Number of caps / pallet * ²	60,000	60,000



*¹ Based on Mikasa evaluation results. Specifications may vary depending on capacity, container shape, machinery used and other fact.

*² Packaging, number of caps and number of bottles may vary according to conditions.

CAP

Sauce and dressing




Product lineup	Re-New Ton Cap		New Revo Cap $\phi 10/\phi 15$	
				
Function				
Cap type	Screw cap		Screw cap	
Hole shape				
Color available			$\phi 10$ 	$\phi 15$ 
Compatible bottle	Plastic bottle		Plastic bottle	
Bottle finish (mm)				
Tamper-evident	-		-	
Filling temperature ^{*1}	No Shower 60°C		No Shower 65°C	
Number of caps / carton	1,000		1,400	
Number of caps / pallet ^{*2}	36,000		50,400	




Product lineup	HT(2) Nozzle Cap	
		
Function		
Cap type	Hinge cap	
Hole shape		
Color available		
Compatible bottle	Plastic bottle	
Bottle finish (mm)		
Tamper-evident	-	
Filling temperature ^{*1}	No Shower 70°C	
Number of caps / carton	1,300	
Number of caps / pallet ^{*2}	46,800	

^{*1} Based on Mikasa evaluation results. Specifications may vary depending on capacity, container shape, machinery used and other fact.

^{*2} Packaging, number of caps and number of bottles may vary according to conditions.

PET BOTTLE




Product lineup (mm)	M type		F type
	M-PET 100M VR	M-PET 150M	M-PET 170F
Function			
Bottle finish (mm)			
Capacity	100 ml	150 ml	170 ml
Filling temperature ^{*1}	Under 65°C	Under 65°C	Under 65°C
Number of bottles / carton	400	310	380
Number of bottles / pallet ^{*2}	4,800	3,720	4,560

Product lineup (mm)	F type		
	MT-PET 200F	MT-PET 250F-SQ	M-PET 360F-SQ
Function			
Bottle finish (mm)			
Capacity	200 ml	250 ml	360 ml
Filling temperature ^{*1}	Under 65°C	Under 65°C	Under 60°C
Number of bottles / carton	300	TBD	180
Number of bottles / pallet ^{*2}	3,600	TBD	2,160

*1 Tested with hot water. Filling temperatures may vary depending on type of liquid and filling conditions.

*2 Packaging, number of caps and number of bottles may vary according to conditions.

PET BOTTLE

Product lineup (mm)	F type		
	MT-PET 500F-SQ	MT-PET 500F / 1000F	YTMP 1500F / 2000F
Function		 *The illustrated picture is MT-PET 500F	 *The illustrated picture is YTMP 1500F
Bottle finish (mm)			
Capacity	500 ml	500 ml / 1000 ml	1500 ml / 2000 ml
Filling temperature ^{*1}	Under 65°C	Under 65°C	Under 65°C
Number of bottles / carton	TBD	TBD	TBD
Number of bottles / pallet ^{*2}	TBD	TBD	TBD

*1 Tested with hot water. Filling temperatures may vary depending on type of liquid and filling conditions.

*2 Packaging, number of caps and number of bottles may vary according to conditions.

Some of our products adopted overseas



Our products are trusted by many brands





<http://www.mikasa-ind.co.jp/en/>

Contact Information

Jun Nakajima

Email : jnakajima@mikasa-ind.co.jp

Tel : (+81)-80-6197-1034

Ha Nguyen

Email : hnguyen@mikasa-ind.co.jp

Tel : (+81)-70-8716-2943



MIKASA INDUSTRY CO., LTD.



Head Office

53, Terado, Koryo-cho, Kitakatsuragi-gun, Nara, 635-0817, Japan
TEL +81-745-58-2322 FAX +81-745-56-3493



MIKSA(THAILAND)CO., LTD.

2 Jasmine City Tower 12F, Room No.46, Soi Prasanmit(Sukhumvit23),
Klongtoey Nua, Wattana, Bangkok 10110 Thailand
TEL/FAX +66(0)2-612-7304